



Dear Laboratory Director:

Attached below is your clinical laboratory license.
Your license is void after the expiration date below.

Expiration Date: November 10, 2019

DISPLAY:

State law requires that the clinical laboratory license shall be conspicuously posted in the clinical laboratory.

CHANGE OF LABORATORY NAME,

DIRECTOR, OWNER AND/OR ADDRESS:

State law requires that the laboratory owner and/or the director notify this office within 30 days of any change in ownership, name, location, or laboratory directors. **YOUR LICENSE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE.**

You must submit a completed application for a new clinical laboratory license or registration within those 30 days or cease engaging in clinical laboratory practice. Mail written notification and/or application to the address indicated below.

California Department of Public Health
Laboratory Field Services, Facility Licensing Section
850 Marina Bay Parkway, Building P, 1st Floor
Richmond, CA 94804-6403

Thank you for your cooperation.

Lab 142 Labclin (01-17)

Tear Here

Tear Here

State of California Department of Public Health
CLINICAL LABORATORY LICENSE

In accordance with the provisions of Chapter 3, Division 2 of the Business and Professions Code, the persons named below are hereby issued a license authorizing operation of a clinical laboratory at the indicated address or other site(s) on file with the department.

LITHOLINK CORPORATION
2250 W.CAMPBELL PARK DRIVE
CHICAGO IL 60612

OWNER(S):

LITHOLINK CORPORATION
LABORATORY CORP OF AMERICA HOLDINGS

DIRECTOR(S):

JOHN R ASPLIN MD

Lab ID Number: COS 00800162

Effective Date: November 11, 2018

Valid Until: November 10, 2019

CLIA Number: 14D0897314

Robert J. Thomas

Robert J. Thomas, Chief
Laboratory Field Services